
**Leica Builder Series** No boundaries – anyone, anywhere, anytime








# Multiple tasks - one product.

Still using a measuring tape or an optical theodolite? Do you need a tool that fulfils all measuring tasks on your construction site with ease, regardless of your profession? The Leica Builder does it all for you – trouble-free, accurately and much quicker. Simply discover the Leica Builder for your task.

The unique Builder setup method boosts your daily workflow.



3 Enter desired Offset values from plan and follow display to set out or record the point(s)



Swiss Technology

Optional external data collection Connect the optional Leica DX-10 data collector to use with other standard software programs.



٥

# 1. Batter Boards

Your benefits:

required

to the jobsite

take minutes

Builder does it all: Setting out boards, transfer alignments to/from boards or simply storing all board data in the builder.

Precise transfer – directly from plans

No tapes, strings, or plumbing-up

Re-setting damaged/missing boards



# 2. Line Layout

Columns, formwork, greenhouses, racking, fencing lines, structures or terraces. Builder takes reference lines, alignment and curves in its stride.

# Your benefits:

- Simple alignment of structures along the lines
- Easy transfer of line and offset values from the plan
- Straightforward layout in inclined terrain

#### 3. Volumes

How much yd<sup>3</sup> did you really move today? Cutting to formation, mass haul, cut/fills, stockpile monitoring - keep right on top of your earthworks progress with Builder.

## Your benefits:

No more rough-guessing of truckloads

vd

- Fast and accurate volume determination
- Digital readout provides precise, easy to read data

# Leica Laser Technology

Excellent signal strength and pinpoint accuracy, where you need it most.

# Your benefits:

"Know what's being measured" Precise measurement to corners and edges too



Data exchange via USB Stick or Bluetooth

# Your benefits:

- Handy removable data storage
- Cable-free and fast connection
- New plan loadable simply on site



# **PowerSite Software** Professionals praise the Builder's on-board programs designed to be the right tool for every job.

#### Your benefits:

- A solution for every application
- Amazing ease of use
- Versatile and fast to learn

#### 4. Checks

Your benefits:

immediate

points

tape

Is that formwork vertical? Sufficient clearance between crane and roof? Are those walls parallel? Is the drainage at the right grade? Are this true 90°?

Checks on site, precise and

Measure to non-accessible

Hardly possible with plumb bob and



# 5. As-Built

Your benefits:

via interface

process

Carpenters, landscapers, stage builders, architects, utilities companies, steel and façade constructors – all use Builder to record as-builts quickly and accurately.

e.g. for future reconstruction

Stores "as built" data for client records,

Data storage in the Builder or externally

Easy integration in the CAD planning



- 3

## 6. Area

How many roof tiles? Want to be doubly-sure how much asphalt to order for the parking lot? Will those windows fit? Builder has the answer in ft<sup>2</sup>.

# Your benefits:

- Ideal for tender preparation for surfaces of all kind
- Facts immediately on the spot
- I-person mode via reflectorless measuring saves cost and time
- Simple capturing of inclined surfaces

# 7. Height Transfer

Transfer of reference heights, define datum lines, marking ground floor elevations,



-checking remote heights – also vertically the Builder is powerful.

## Your benefits:

- Height transfer in one work step
- Height differences are no problem
- Only 1 person required



Simple, clear & intuitive Graphical Interface and best-in-class display technology

#### Your benefits:

- Graphical assistance thanks to spacious display
- Class-leading visibility, in all light conditions
- Graphic supports daily work flow



**Setup with Control Line or coordinates** Existing axis form the reference line for the Builder.

# Your benefits:

- Same procedure as known from working with the tape
- Work with line and offset values straight from the plan
- Free choice of setup positions

# 言語の選択 ! English Japanese Pyccxuù 確定

# Multilingual support

the world is getting smaller, Builder is prepared.

## Your benefits:

- Switch between 3 languages of your choice
- No errors due to linguistic misunderstandings
- 25 languages available

ft<sup>2</sup>











| Duilden Constituent                    |  | Dull I and                            | Dull I w 200            |                                       |                                       |
|--|--|---------------------------------------|-------------------------|---------------------------------------|---------------------------------------|
| Builder Specifications                 | Builder 100  | Builder 200                           | Builder 300             | Builder 400                           | Builder 500                           |
| Full Power Site Software               |  |                                       |                         |                                       | ✓                                     |
| Accuracy up to 1.5 mm @ 100 m distance |  |                                       |                         |                                       | ✓                                     |
| Wireless Communication                 |  |                                       |                         |                                       | ✓                                     |
| -30°C ready                            |  |                                       |                         |                                       | ✓                                     |
| Full RedDot range                      |  |                                       |                         |                                       | ✓                                     |
| Prism Measurement Mode                 |  |                                       |                         | ✓                                     | ✓                                     |
| Full internal memory                   |  |                                       |                         | ✓                                     | ✓                                     |
| MEAS/REC Switch Key                    |  |                                       |                         | ✓                                     | ✓                                     |
| Cell-phone style use                   |  |                                       |                         | ✓                                     | ✓                                     |
| Extended RedDot range                  |  |                                       | ✓                       |                                       | ✓                                     |
| Industrial USB Memory Stick            |  |                                       | ✓ <b>/</b>              | ✓                                     | ✓                                     |
| USB Type A and mini B                  |  |                                       | ✓                       | ✓                                     | ✓                                     |
| Volumes Calculation                    |  |                                       | ✓                       | ✓                                     | ✓                                     |
| Data Im/Export to USB Stick            |  |                                       | ✓                       | ✓                                     | ✓                                     |
| Call up plan data & record points      |  |                                       | ✓                       | ✓                                     | ✓                                     |
| Direct DFX download                    |  |                                       | ✓                       | ✓ <b>→</b>                            | ✓                                     |
| 1-person Station                       |  | ✓                                     | ✓ <b>→</b>              | ✓ <b>–</b>                            | ✓                                     |
| Serial Interface                       |  |                                       |                         |                                       |                                       |
| Tracking Mode                          |  |                                       |                         | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · |
| Laser Pointer Switch Key               |  | <br>✓                                 |                         | ✓ ×                                   | · · · · · · · · · · · · · · · · · · · |
| PC/Handheld Interface                  |  | ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ |                         | · · · · · · · · · · · · · · · · · · · | · · · · · · · · · · · · · · · · · · · |
| Laser Distance Measure                 |  | ✓ ✓                                   |                         | ✓<br>✓                                | ✓                                     |
|  |  |                                       |                         |                                       |                                       |
| Control Line Setup                     |  | <b>√</b>                              | ✓                       | ✓                                     | ✓                                     |
| Free Choice Setup                      |  | <b>√</b>                              | <u> </u>                | ✓                                     | ✓                                     |
| Theft Protection                       | ✓  | ✓                                     | ✓                       | ✓                                     | ✓                                     |
| Pit Stop Alert                         | ✓  | ✓                                     | ✓                       | ✓                                     | ✓                                     |
| 3 Languages                            | ✓  | ✓                                     | ✓                       | ✓                                     | ✓                                     |
| Leveling Aid                           | ✓  | ✓                                     | ✓                       | ✓                                     | ✓                                     |
| Sector Beep                            | ✓  | ✓                                     | ✓                       | ✓                                     | ✓                                     |
| Dual Axis Compensator                  | ✓  | ✓                                     | ✓                       | ✓                                     | ✓                                     |
| End-less Drives                        | ✓  | ✓                                     | ✓                       | ✓                                     | ✓                                     |
| Laser Plummet                          | ✓  | ✓                                     | ✓                       | ✓                                     | ✓                                     |
| Display Heating and Illumination       | ✓  | ✓                                     | ✓                       | ✓                                     | ✓                                     |
| Li-lon Batteries                       | ✓  | ✓                                     | ✓                       | ✓                                     | ✓                                     |
| Set Delivery                           | ✓  | ✓                                     | ✓                       | ✓                                     | ✓                                     |
| Data Storage/Communication             |  |                                       |                         |                                       |                                       |
| Internal Memory [points]               | _  | _                                     | 15'000                  | 50'000                                | 50'000                                |
| Angle Measurement                      |  |                                       |                         |                                       |                                       |
| Accuracy/Option                        | 9"/6"  | 9"/6"                                 | 9"/6"                   | 9"/5"                                 | 9"/5"/3"                              |
| Distance Measurement                   |  |                                       |                         |                                       |                                       |
| Laser Pointer                          |  | ✓ <sup>→</sup>                        | ✓ <b>→</b>              | _                                     | ✓ <b>1</b>                            |
| without reflector (90% reflective)     |  | 80 m/260 ft                           | 120 m/395 ft            | 15 m/50 ft                            | 250 m/820 ft                          |
| to reflective tape (60 mm x 90 mm)     |  | 250 m/820 ft                          | 250 m/820 ft            | 15 m/50 ft                            | 250 m/820 ft                          |
|  | -  | 230 11/820 11                         | 230 11/820 11           | 500 m/1640 ft                         |                                       |
| to glass prism                         |  |                                       |                         |                                       | 500 m/1640 ft                         |
|  | -  | -                                     | -                       | (3500 m/                              | (3500 m/                              |
| Laser Dot Size                         | 11500 ft) 11500 ft)  |                                       |                         |                                       |                                       |
| Laser Dot Size                         | at 30 m; approx. 7 x 10 mm, at 50 m; approx. 8 x 20 mm /<br> |                                       |                         |                                       |                                       |
| General                                |  | at 100 ft                             | approx. 1/4 x 3/8 inch, | at 105 It: approx 5/16 )              | x 3/4 IIICI                           |
| Weight incl. Battery and Tribrach      |  |                                       |                         | 11.2.15-                              |                                       |
|  | 4,4 kg/9.7 lbs 5,1 kg/11.2 lbs                               |                                       |                         |                                       |                                       |
| Operating Temperature                  | -20°C to +50°C / -4°F to +122°F                              |                                       |                         |                                       |                                       |
| Battery Type/Life                      | Li-Ion/approx. 20 hours <sup>1</sup>                         |                                       |                         |                                       |                                       |
| Environmental                          | IP55   |                                       |                         |                                       |                                       |
| Keyboard                               | Standard   |                                       |                         | Full Alphanumeric                     |                                       |
| Switch Key                             | single function  |                                       |                         | dual function                         |                                       |

<sup>1</sup> Single Meaurement every 30 second at 25°C / 77°F with GEb221. Battery time may be shorter if battery is not new



Whether you have to precisely layout a construction site, perform control measurements, collect height and angle data, align concrete forms, install ceilings and partitions, lay gravity flow pipe, locate underground services or complete site preparation and earthworks – Leica Geosystems offers the right instrument, construction laser or machine control installation specifically designed for your construction application.

Easy-to-use, jobsite tough, accurate and reliable – Leica Geosystems instruments and lasers ensure the efficient use of your materials and resources. High quality products, such as optical and electronic levels, construction lasers, total stations and machine automation systems, provide fast results, keep you working and increase your profitability.

# When it has to be right.

Leica Rugby 260SG,

270SG, 280DG

lasers

Easy to use grade

Illustrations, descriptions and technical data are not binding. All rights reserved. Printed in Switzerland – Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2009. 773692enUS – VIII.09 – RDV



**Leica Sprinter Family** One Button Digital Levels



r Family Leica Piper 100/200 The world's most versatile pipe laser



Leica DIGISYSTEM<sup>™</sup> Safe and fast location of underground services



Total Quality Management – our commitment to total customer satisfaction.

Ask your local Leica Geosystems dealer for more information about our TQM program.

Laser plummet: Laser class 2 in accordance with IEC 60825-1 resp. EN 60825-1

Distance meter: (PinPoint 200/300/400/500) Laser class 3R in accordance with IEC 60825-1 resp. EN 60825-1



The **Bluetooth**<sup>®</sup> word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Leica Geosystems AG is under license.

Leica Geosystems AG Heerbrugg, Switzerland

www.leica-geosystems.com



**Leica RedLine** Tailor-made Site Solutions

- when it has to be **right** 

