# Leica Geosystems Original Accessories **Equipment List**





# **Accessories Equipment List**

	Tripods		Carriers
	pods		Comers
296632	Professional GST20, Wooden heavy duty tripod. with plumb bob	667316	Professional SNLL121, Precision carrier, with plate level, Zenith and Nadir laser plummet
394752 667301	GST20-9, Wooden heavy duty tripod. GST120-9, Wooden heavy duty tripod, selfclosing.	428340	GZR3 Precision carrier, with plate level, optical plummet
328422 753312	GST40, Wooden tripod with rigid legs. GST71 Fieldgear tripod	725566	<b>Basic</b> GZR103 carrier, with plate level and optical plummet, for reflectors and GPS antenna, pale green.
399244	<b>Basic</b> GST05, Wooden tripod with polymer coating.	560112	GRT44 carrier for GPS antenna, EDM reflectors and target plates, light green.
563630	GST05L Aluminium-Tripod	667313	GRT144 carrier for GPS antenna, EDM reflectors and target plates, pale green.
726831	<b>Choice</b> CTP101, Wooden tripod with shoulder strap and side clamp screws, heavy duty.	667216	GRT146 carrier with 5/8 inch screw, GPS antenna screws on directly.
726833	CTP103, Aluminium tripod with shoulder strap and side clamp screws, medium weight.		Reflectors
	Tripod accessories		Standard Prisms
332200	GST4, tripod-star for setting up tripods on hard and		
	slippery surfaces.		Professional
734163	GHT43, Adapter for mounting TCPS26/27 on GST20/GST120 tripod.	641617	GPR121 Circular prism, with holder and target plate
748417	GHT58 Tripod bracket for GFU housing	362830	GPR1 Circular prism, in container
		362820	GPH1 Single-prism holder
		400080	GPH3 Three-prism holder
	Tribrachs	555631 639985	GPH1P Single-prism precision reflector. GRZ4 360° Reflector
	Tribidens		
	Professional		Basic
667304	GDF121 Tribrach, without optical plummet,	641618	GPR111 Circular prism with holder and target plate
667207	pale green.	726295	GPR112 Monitoring-mining prism, with M8 internal threat in the back for direct mounting and 5/8"
667307	GDF122 Tribrach, with optical plummet, pale green.	753492	GPR113 Circular prism with red holder
443603	GDF21 Tribrach, without optical plummet, light green.	, 55 ., 2	ar N225 Circular prism than rea notice
506299	GDF21 Tribrach, with optical plummet, light green.		Choice
		731346	CPR105, Flat prism with double sided reflector.
748888	Basic GDF111-1 Tribrach, without optical plummet,		Standard Prism accessories
740000	pale green.	362823	GZT4 Target plate for GPH1
667308	GDF112 Tribrach, with optical plummet, pale	726296	GHT112 Mounting set for GPR112 with M8 and 5/8"
	green/red.  Choice		internal thread adapters, suitable for direct fixing systems on nearly every surface, prism is adjustable
726839	CTB101 Tribrach, without optical plummet, black.	727406	and fixable in two axes. GDZ112, rain shelter for Monitoring Mining Prism GPR112.
	Tribrach accessories	727589	CTC102, Soft bag with shoulder strap, for prism
667718	GHM007 Instruments height meter.		station, consist of tribrach, prism carrier or laser
722045	GHT196 Distance holder for height meter.		plummet and prism.
667244	Height Hook with integrated tape measure.		

#### Mini Prisms

	Professional		Choice
641662	GMP101 Mini prism, incl. bubble, target plate and spike,	748967	CPP105 Reflector pole with circular bubble for
	in bag		GMP111/CPR105, snap-lock at 1,50m and 2,00m.
641762	GMP104 Mini prism, with L-bar, for fixed installations.		
			Survey Pole accessories
	Basic	667319	GSR111 Dual Strut support
641615	GMP111 Mini prism, incl. Bubble and GLS115 Mini reflector	555720	GSR2 Dual strut support for GLS11 plumbing Pole
	pole	403428	GZW412 Extension 1m long, for reflector pole GLS11
642534	GMP111-0 Mini prism 0-Constant, incl. Bubble and GLS115		and carriers
	Mini reflector pole	733264	GHT39, Holding plate for RX1200 Series Controller.
644187	SMP222 Sliding Mini-Prism. True 0-Constant Prism, incl.	742007	GHT52, Clamp arrangement for attaching the GHT39 to
	Bubble and Mini reflector pole.		All poles (except mini poles).
644327	GRZ101, 360° Mini prism with pole and level assembly.		
	Mini Prism accessories		GPS Poles
742006	GAD103, Adapter for attaching the GRZ101 to all poles		G. 5 . 6.65
7 12000	(except mini poles) and reflector carriers.		Aluminium
743503	GAD105, Adapter for GMP111 Mini prism to pole.	667221	GLS17 Bottom-part aluminium pole
742329	GMP112, Hidden Point pole extension for GMP111.	667222	GLS18 Top-part aluminium pole w. 5/8" screw
, .232,	Includes miniprism with holder and 30cm adapter pole.	667224	GLS19 Top-part aluminium pole with stub
744495	GMP112-0, Hidden Point pole extension for GMP111-0.	667228	GAD32 Telescopic rod with 5/8 inch screw
	Includes one miniprism and one 30cm adapter pole.		
642344	GVP608, Soft bag, for Mini prism GMP111, GRZ101.		Carbon Fibre
• .=•	Lica	667225	GLS20 Bottom-part carbon-fibre pole
	Reflector tapes	667226	GLS21 Top-part carbon pole, with 5/8" screw
	( )	667227	GLS22 Top-part carbon pole with stub
		752292	GLS30 GPS telescopic pole, carbon-fibre
635317	RETROTARGET S, Retro targets, 20x20mm, 20 pieces, 2-	752272	desso di si telescopie pole, carbon fibre
00001	40m.		GPS Pole accessories
635318	RETROTARGET M, Retro targets, 40x40mm, 20 pieces, 20-	667217	GAD31 Screw-to-stub adapter for GPS antenna
	100m.	667223	GHT25 Grip with circular bubble
635319	RETROTARGET L, Retro targets, 60x60mm, 20 pieces, 60-	560138	GST6 Quickstand for pole
	180m.	747096	GHT56 Holder for RX1250 and GFU
733327	GZM28, Reflective Tape 60x60mm, pack of 20 pieces.	747817	GHT57 Tripod bracket for GHT56
	,		,
	Survey Dolos		Mamary Davisos

## **Survey Poles**

Pr	OΤ	es	SSI	on	aı
		_	_		

	1101655101101
385500	GLS11 Reflector pole, telescopic, with circular bubble,
	cm and ft graduation, extends to 2,15m
403427	GLS14 Mini reflector pole, (prism/target 20cm,
	over point) with circular bubble.
667309	GLS111 Reflector pole, with bull's-eye bubble, cm/ft
	graduation, extends to 2.60m, with red/white 0.20m
	graduations
667310	GLS112 Reflector pole, with bull's-eye bubble, cm/ft
	graduation, extends to 3.65m, with red/white 0.20m
	graduations

#### Basic

642106 GLS115 Mini reflector pole, four screw-together sections, extends to 1.30m, for GMP111/CPR105.

## **Memory Devices**

MCF32, CompactFlash card 32MB.







733256

#### 734275 MCF64, CompactFlash card 64MB. 733257 MCF256, CompactFlash card 256MB. 745995 MCF1000, CompactFlash card 1GB.

Memory cards

733258 MCFAD1, CompactFlash PC Card adapter. PCMCIA-SRAM memory card, 2 MB (approx. 8'000 data 639949 blocks), for TPS1000/2000.

#### Card readers

MCR5, Card reader for CompactFlash card. 733259 743119 MCR6, USB Card reader for Flash and SRAM cards.

## Cables



409684	<b>Data-transfer cables</b> GEV58 Cable Y-shaped, connecting Theodolite or DISTOMAT with Leica Modem/ Datarecorder and Exter nal batterie, Y-Cable, long.	749279	Continuous 12V Power supply GEV208, Power supply unit for TPS/GPS, for indoor use only. Input 100-240VAC to output 12VDC, with connection for power cables.
563625	GEV102, Data transfer cable, connects a TPS or DNA to PC (9-pin RS232 serial), 2m.	731772 731773	AC power cable 3-pole US. AC power cable 3-pole EU.
733280	GEV160, 2.8m Data transfer cable. Connects GPS1200 receiver Ports 1, 2 and 3, or RX1220 to PC for data transfer, firmware upload etc. Lemo to 9 pin RS232 serial connector.	734232 734233 738586	AC power cable 3-pole UK. AC power cable 3-pole AUS. AC power cable 3-pole CH.
733281 734696	GEV161 Data cable 2.8m, Lemo to USB GEV185, data transfer cable, connects RX1220 to TPS1200, 1.8m.		
734698	GEV187, Y-cable, connects TPS1200 to PC (9-pin RS232 serial) and external battery, 2m.		Power Source
734699	GEV188, Y-cable, connects TCPS27 or RX1200 to PC (9- pin RS232 serial) and external battery, 1.8m.		
734700	GEV189, Data transfer cable, Lemo to USB connector (incl. USB electronics), 2.0m. Connects TPS/DNA to PC for data transfer. PC driver and user manual included	733270	Internal Batteries GEB221, Lithium-Ion battery, 4Ah, rechargeable. To be used with TPS1200 and GPS1200 series.
734755	on CD. GEV195, 2.8m Data transfer cable, Lemo to USB con-	733269	GEB211, Lithium-Ion battery, 2Ah, rechargeable. To be used with RX1220 and ATX1230.
	nector (Incl. USB electronic). Connects GPS Receiver to. PC for data transfer, firmware upload etc. PC	667123	GEB121, Plug-in Camcorder battery, NiMH, 6V/4.2Ah, rechargeable (for TPS400/700 /800, GPS500).
707525	driver included on CD Lemo Canon converter 30°, for PC.	667318	GEB111 Plug-in Camcorder battery, NiMH, 6V/2.1Ah, rechargeable (for Builder, TPS400/700/800).
750073	GEV212 Interface cable, 5m	712156 667147	GAD39 Battery adapter. GEB187 Plug-in battery, NiMH, 12V/1,8Ah, recharge-
8216666	<b>Direct serial communication Bluetooth</b> Bluetooth Kit (includes BlueTooth module, charger,	439149	able (for TPS1000, TPS2000). GEB77 Plug-in battery, NiCd, 12V/0.6Ah, rechargeable
	rain cover and tripod hook. Suitable for all Leica instruments.)	522767	(for TC400905) GEB79 Plug-in battery, 12V/0.5Ah, rechargeable
	Power cables		External batteries
409678	GEV52, cable, connects TPS or DNA to external battery	727367	GEB171, External universal battery, NiMH, 12V/9Ah rechargeable.
439038	GEV71, 4m car battery cable, connects GPS receiver to 12V car battery.	402210	GEB70 Small 12V 2Ah NiCd battery, rechargeable.
560130	GEV97, 1.8m power cable, connects external battery GEB171 to GPS1200 receiver.		
734697	GEV186, Y-cable, connects RX1200 or TCPS27 to TPS1200 and external battery, 1.8m.		
734698	GEV187, Y-cable, connects TPS1200 to PC (9-pin RS232 serial) and external battery, 2m.		
734699	GEV188, Y-cable, connects TCPS27 or RX1200 to PC (9-pin RS232 serial) and external battery, 1.8m.		
734959	GEV190, Y-cable, connects RX1200 to TCPS27 and external battery, 2m.		
	external dattery, 2m.		

### Chargers



## **Optics**



_	•		
Dre	ofes	CIA	nai
ГІ	J1 C3	2210	ııaı

733271	GKL221, Charger. To be used with up to two charging adapters GDI221 or GDI222,
	•
	Charger cable and net adapter included.
733323	GDI221, Adapter for GKL221 for
	charging 2 Li-lon batteries GEB221, GEB211.
733322	GDI222, Adapter for GKL221 for charging Ni-Mh
	batteries of type GEB121, GEB111, charger cable
	included for GEB87, GEB187, GEB77, GEB79, GEB70,
	GEB71, GEB171 or adapterplate GDI121.
734389	GDC221, Car adapter for the GKL221 charger. Allows
	the use of the GKL221 with a cigarette lighter;

#### Basic

734752	GKL211, Charger, for Li-Ion batteries GEB221
	and GEB211, car adapter cable and net adapter
	included.

734753 GKL112, Charger, for Ni-Mh batteries GEB121 and GEB111, car adapter cable and net adapter included.

636983 GKL22 Charger, 230V, 50/60Hz, Euro-type plug, charges one battery GEB87 or GEB70, normal charges 14

639959 GKL22-1 Charger, 115 V, US version.

12V24V DC/DC Converter.

# **Containers**



555634	GVP468, Container for 2 precision reflectors.
667451	GVP609, Container, for 2 Circular prisms GPR111/121, 2
	Laser plummets and 2 tribrachs

GVP623, Hard container for GX1210 / GX1220 / GX1230. 733267 and GRX1200 Receivers, AX1201 / AX1202 Antenna, RX1200 Controller series, cables and accessories

733268 GVP624, Hard container for ATX1230 SmartAntenna.

667137 Minipack, holds GPS receiver

### **Container accessories**

632249 GDZ20,Back strap, for transport container, for each container two are needed. (for TPS1000/2000 Tachymeters) 744501 GDZ66, Back strap (2), for container

#### **Eyepieces**

	/ -F
721966	GFZ2 Diagonal eyepiece for telescope T100.
734514	GFZ3 Diagonal eyepiece for telescope, except T100.
376236	GOK6 Eyepiece for steep sights, with joint allowing
	variable sighting angle.
377802	FOK53 Eyepiece, additional eyepiece (modification in a
	workshop necessary)

#### **Objective Lenses**

363871	GVO7 Auxiliary lens, in case, measuring range 1.72-
	0.88m. "For Theodolites and angle measurements with
	tachymeters only"
743504	GVO13, Objective Solar Filter for TPS.
636977	GSB5 Sunshade for digital level.

## **DNA Staffs**

#### Professional

560271

	circular level
560274	GPCL3,Invar bar code levelling staff, 3m, with
	circular level, with expansion coefficient
	certificate and length calibration certificate
563659	GPCL2,Invar bar code levelling staff, 2m, with circular
	Level
632313	GWCL92,Industrial bar code levelling staff, 92 cm, invar
	staff with circular bubble and 2 interchangeable bases.
563733	GWCL60,Invar bar code scale, 60 cm

GPCL3,Invar bar code levelling staff, 3m, with

### Basic

522794	GKNL4M ,Dual face levelling staff, 4m, 3 sections,
	code/cm-graduation, with handles and circular bubble,
	in transport bag
F22702	CKNI CE Duel fees levelling staff 12 2ft 2 sections

522793 GKNL4F, Dual face levelling staff, 13.3ft, 3 sections, code/ft graduation, with handles and circular bubble, in transport bag

667113 GTL4C, Telescopic levelling staff, 4m, aluminium, bar code/mm-graduation, with bull's-eye bubble, in transport bag

Whether you want to monitor a bridge or a volcano, survey a skyscraper or a tunnel, stake out a construction site or perform control measurements – you need reliable equipment.

Using Leica Geosystems Original Accessories ensures the specifications of instruments are met, giving you the precise and reliable measurements that you need and expect.

With Leica Geosystems Original Accessories you can rely on accuracy, quality and long life, and guarantee that you get the most from your instrument.

When it has to be right.

Illustrations, descriptions and technical specifications are not binding and may change. Printed in Switzerland – Copyright Leica Geosystems AG, Heerbrugg, Switzerland, 2006. 752136en – VIIII.06 – INT

